

# DATA-COM DEVICES

With the proliferation of telephone, entertainment and computer usage throughout the home, low voltage premising wiring is rapidly becoming an accepted and expected part of residential and commercial constructions.

Convert any room into a multimedia entertainment studio or home office with ENERLITES Voice, Data, Audio and Video Connectors.

## DATA-COM DEVICES

Audio/Video Connectors .....	J2
Decorator Adapters .....	J3
Multimedia Face Plates .....	J4
Molded-in Voice and Audio/Video .....	J5
Telephone Wall Jacks .....	J6
Telephone and CATV Jacks .....	J7






## Audio/Video Connectors

### Application:

Enerlites Audio Video Connectors allow custom creation of multi-media outlets and workstations while maintaining a decorative look.

### Features:

- Quick and secure snap in design
- Use with multimedia plates and decorator frames



### Audio/Video Connectors

DESCRIPTION	CAT.NO.	COLOR
Gold F-Type Coupler Bulkhead, Female to Female	6101-I	Ivory
	6101-W	White
	6101-A	Almond
	6101-LA	Light Almond
Nickel F-Type Coupler Bulkhead, Female to Female	6102-I	Ivory
	6102-W	White
	6102-A	Almond
	6102-LA	Light Almond
Blank Insert	6103-I	Ivory
	6103-W	White
	6103-A	Almond
	6103-LA	Light Almond
Category 6 Jacks	6104-I	Ivory
	6104-W	White
	6104-A	Almond
	6104-LA	Light Almond
Category 5e Jacks	6105-I	Ivory
	6105-W	White
	6105-A	Almond
	6105-LA	Light Almond



## Decorator Adapters

**Application:**

Enerlites Decorator Adapters provide a stylized look for that finishing touch.

**Features:**

- High impact resistant thermoplastic frame.
- Dimmer Plastic shaft adapter permits the use of rotary dimmers or to pull through AV or telephone cable
- Blank Plastic adapter covers blank holes in multi-device

decorator installations

- Longest and Broadest steel strap for better wall box mounting



**Material Characteristics:**

- Environmental: Flammability UL94, V2 Rating

**Testing & Code Compliance:**

- UL Listed
- ISO9001 Registered manufacturing facility

Decorator Adapters

DESCRIPTION	CAT.NO.	COLOR
1-Gang, Dimmer Plastic Shaft Adapter 0.406" Dia. Hole 	6061-I	Ivory
	6061-W	White
	6061-A	Almond
	6061-LA	Light Almond
1-Gang, Blank Adapter 	6001-I	Ivory
	6001-W	White
	6001-A	Almond
	6001-LA	Light Almond





## Multimedia Face Plates

### Features:

- High impact resistant thermoplastic plate.
- Accepts Voice/Data and Audio/Video Modules to support multimedia applications
- Available in 1, 2, 3, 4, or 6 port versions

### Testing & Code Compliance:






- UL Listed
- ISO9001 Registered manufacturing facility

### Material Characteristics:

- Environmental: Flammability UL94, V2 Rating



### Multimedia Face Plates

DESCRIPTION	CAT.NO.	COLOR
1- Gang, 1-Port Plate 	8871-I	Ivory
	8871-W	White
	8871-A	Almond
	8871-LA	Light Almond
1- Gang, 2-Port Plate 	8872-I	Ivory
	8872-W	White
	8872-A	Almond
	8872-LA	Light Almond
1-Gang, 3-Port Plate 	8873-I	Ivory
	8873-W	White
	8873-A	Almond
	8873-LA	Light Almond
1-Gang, 4-Port Plate 	8874-I	Ivory
	8874-W	White
	8874-A	Almond
	8874-LA	Light Almond
1- Gang, 6-Port Plate 	8876-I	Ivory
	8876-W	White
	8876-A	Almond
	8876-LA	Light Almond



## Molded-in Voice and Audio/Video

### Application:

Enerlites Decorator Module Wall Jacks offer Voice and Audio/Video devices to fit within a decorator wallplate. Create a look to match your voice/data, switch, and receptacle devices.






### Material Characteristics:

- Environmental: Flammability UL94, V2 Rating

### Features:

- High impact resistant thermoplastic frame

### Molded-in Voice and Audio/Video

DESCRIPTION	CAT.NO.	COLOR
One RJ11 Jack, 4-Position, 4-Conductor 	6501-I	Ivory
	6501-W	White
	6501-A	Almond
	6501-LA	Light Almond
Duplex RJ11 Jacks, 4-Position, 4-Conductor 	6503-I	Ivory
	6503-W	White
	6503-A	Almond
	6503-LA	Light Almond
Single F-Type Connector Wall Jack Female to Female 	6505-I	Ivory
	6505-W	White
	6505-A	Almond
	6505-LA	Light Almond
Duplex F-Type Connector Wall Jacks Female to Female 	6506-I	Ivory
	6506-W	White
	6506-A	Almond
	6506-LA	Light Almond
Combination Wall Jacks One RJ11 Jack, 4-Position, 4-Conductor, One F-Type Connector Wall Jack Female to Female 	6507-I	Ivory
	6507-W	White
	6507-A	Almond
	6507-LA	Light Almond





## Telephone Wall Jacks

### Application:

Enerlites telephone jacks with wallplates provide an economical alternative to wall phone outlet placement.

### Features:

- High impact resistant thermoplastic plate
- Meets FCC part 68

### Material Characteristics:

- Environmental: Flammability UL94, V2 Rating

### Testing & Code Compliance:

- UL Listed
- ISO9001 Registered manufacturing facility



6611-W



6651-W

### Telephone Wall Jacks

DESCRIPTION	CAT.NO.	COLOR
1 Gang Opening Modular Telephone Jacks , One RJ11 Jack, 6-Position, 4-Conductor	6611-I	Ivory
	6611-W	White
	6611-A	Almond
	6611-LA	Light Almond
1-Gang Plate, One RJ11 Jack, 6-Position, 6-Conductor	6631-I	Ivory
	6631-W	White
	6631-A	Almond
	6631-LA	Light Almond
1 Gang Two Modular Telephone Jacks, Duplex RJ11 Jacks, 6-Position, 4-Conductor	6651-I	Ivory
	6651-W	White
	6651-A	Almond
	6651-LA	Light Almond
1-Gang Plate, Duplex RJ11 Jacks, 6-Position, 6-Conductor	6671-I	Ivory
	6671-W	White
	6671-A	Almond
	6671-LA	Light Almond



## Telephone and CATV Jacks

### Application:

Enerlites Telephone and CATV Jacks with wallplates offer an economical alternative to basic performance needs.

### Features:

- High impact resistant thermoplastic frame
- Combination jack and coax minimize ganging requirements
- Meets FCC part 68






### Material Characteristics:

- Environmental: Flammability UL94, V2 Rating

### Testing & Code Compliance:

- UL Listed
- ISO9001 Registered manufacturing facility

### Telephone and CATV Jacks

DESCRIPTION	CAT.NO.	COLOR
1-Gang Plate, Single F-Type Connector Wall Jack Female to Female 	6601-I	Ivory
	6601-W	White
	6601-A	Almond
	6601-LA	Light Almond
1-Gang Plate, Duplex F-Type Connector Wall Jack Female to Female 	6621-I	Ivory
	6621-W	White
	6621-A	Almond
	6621-LA	Light Almond
1-Gang Plate, One F-Type Connector Wall Jack Female to Female, One RJ11 Jack 6-Position, 4-Conductor 	6641-I	Ivory
	6641-W	White
	6641-A	Almond
	6641-LA	Light Almond
1-Gang Plate, One F-Type Connector Wall Jack Female to Female, One RJ11 Jack 6-Position, 6-Conductor 	6661-I	Ivory
	6661-W	White
	6661-A	Almond
	6661-LA	Light Almond
1-Gang Phone/Cable 0.406" dia. Hole 	8661-I	Ivory
	8661-W	White
	8661-A	Almond
	8661-LA	Light Almond

