



WALLPLATES

ENERLITES Wiring Devices line of wallplates is designed and manufactured to address a wide range of applications. ENERLITES wallplates are of the finest quality and meet or exceed all applicable standards. We manufacture our wallplates in all sizes-standard, mid-size and oversize-to guarantee that there is a superbly engineered ENERLITES device covering to fit every need.

WALLPLATES

- Screwless Wallplates L3
- Plastic Wallplates L4-L9
- Stainless Steel Wallplates L10-L14








Plate Sizes

Description		Height	Length	Gang to Gang
1 Gang	Standard	4.50"(114.3mm)	2.76"(70.0mm)
	Mid-size	4.88"(124.0mm)	3.11"(79.0mm)
	Over-size	5.51"(140.0mm)	3.50"(89.0mm)
2 Gang	Standard	4.50"(114.3mm)	4.57"(116.0mm)	1.81"(46.0mm)
	Mid-size	4.88"(124.0mm)	4.92"(125.0mm)	1.81"(46.0mm)
	Over-size	5.51"(140.0mm)	5.51"(140.0mm)	1.81"(46.0mm)
3 Gang	Standard	4.50"(114.3mm)	6.38"(162.0mm)	1.81"(46.0mm)
	Mid-size	4.88"(124.0mm)	6.77"(172.0mm)	1.81"(46.0mm)
	Over-size	5.51"(140.0mm)	7.48"(190.0mm)	1.81"(46.0mm)
4 Gang	Standard	4.50"(114.3mm)	8.19"(208.0mm)	1.81"(46.0mm)
	Mid-size	4.88"(124.0mm)	8.58"(218.0mm)	1.81"(46.0mm)
5 Gang	Standard	4.50"(114.3mm)	10.03"(255.0mm)	1.81"(46.0mm)
	Mid-size	4.88"(124.0mm)	10.39"(264.0mm)	1.81"(46.0mm)
6 Gang	Standard	4.50"(114.3mm)	11.81"(300.0mm)	1.81"(46.0mm)
	Mid-size	4.88"(124.0mm)	12.20"(310.0mm)	1.81"(46.0mm)



AVAILABLE COLORS



CALL FOR COLOR AVAILABILITY



Screwless Wallplates

Features:

- Made of GE LEXAN 241
- Screwless Snap-In design for easy placement
- Decorator-compatible two piece kit allows easy retrofit to any decorator installation
- High-impact resistance limits access to live parts due to breakage
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance





- Captive screw feature holds mounting screws in place for quick and easy installation
- Environmental: Flammability UL94, V2 Rating
- Various kinds of colors available
- Two year warranty


Testing & code compliance

- UL Listed
- ISO9001 Registered manufacturing facility


Standard Size

Decorator Screwless Wallplates


DESCRIPTION	COLOR	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang 	Ivory	SI8831-I		
	White	SI8831-W		
	Almond	SI8831-A		
	Light Almond	SI8831-LA		
	Black	SI8831-BK		
2 Gang 	Ivory	SI8832-I		
	White	SI8832-W		
	Almond	SI8832-A		
	Light Almond	SI8832-LA		
	Black	SI8832-BK		
3 Gang 	Ivory	SI8833-I		
	White	SI8833-W		
	Almond	SI8833-A		
	Light Almond	SI8833-LA		
	Black	SI8833-BK		
4 Gang 	Ivory	SI8834-I		
	White	SI8834-W		
	Almond	SI8834-A		
	Light Almond	SI8834-LA		
	Black	SI8834-BK		
5 Gang 	Ivory	SI8835-I		
	White	SI8835-W		
	Almond	SI8835-A		
	Light Almond	SI8835-LA		
	Black	SI8835-BK		



Subplate



Cover Plate





Plastic Wallplates

Features:

- Made of GE LEXAN 241
- High-impact resistance limits access to live parts due to breakage
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- Captive screw feature holds mounting screw in place for quick and easy installation

- Environmental: Flammability UL94, V2 Rating
- Various kinds of colors available
- Two year warranty

Testing & code compliance

- UL Listed
- ISO9001 Registered manufacturing facility



Blank Plastic Wallplates

DESCRIPTION	COLOR	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang Blank	Ivory	8801-I	8801M-I	8801O-I
	White	8801-W	8801M-W	8801O-W
	Almond	8801-A	8801M-A	8801O-A
	Light Almond	8801-LA	8801M-LA	
	Brown		8801M-BR	8801O-BR

2 Gang Blank	Ivory	8802-I	8802M-I	
	White	8802-W	8802M-W	
	Almond	8802-A	8802M-A	
	Light Almond	8802-LA	8802M-LA	

3 Gang Blank	Ivory	8803-I		
	White	8803-W		

4 Gang Blank	Ivory	8804-I		
	White	8804-W		





Plastic Wallplates

Features:

- Made of GE LEXAN 241
- High-impact resistance limits access to live parts due to breakage
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- Captive screw feature holds mounting screw in place for quick and easy installation

- Environmental: Flammability UL94, V2 Rating
- Various kinds of colors available
- Two year warranty

Testing & code compliance

- UL Listed
- ISO9001 Registered manufacturing facility

Toggle Switch Plastic Wallplates

DESCRIPTION	COLOR	STANDARD SIZE	MID-SIZE	OVER-SIZE
 1 Gang Toggle	Ivory	8811-I	8811M-I	8811O-I
	White	8811-W	8811M-W	8811O-W
	Almond	8811-A	8811M-A	8811O-A
	Light Almond	8811-LA	8811M-LA	
	Brown	8811-BR	8811M-BR	
	Black	8811-BK		
 2 Gang Toggle	Ivory	8812-I	8812M-I	
	White	8812-W	8812M-W	
	Almond	8812-A	8812M-A	
	Light Almond	8812-LA	8812M-LA	
	Brown	8812-BR	8812M-BR	
 3 Gang Toggle	Ivory	8813-I	8813M-I	
	White	8813-W	8813M-W	
	Almond	8813-A	8813M-A	
 4 Gang Toggle	Ivory	8814-I	8814M-I	
	White	8814-W	8814M-W	
	Almond	8814-A		
 5 Gang Toggle	Ivory	8815-I	8815M-W	
	White	8815-W		
	Almond	8815-A		
 6 Gang Toggle	Ivory	8816-I	8816M-W	
	White	8816-W		
	Almond	8816-A		





Plastic Wallplates

Features:

- Made of GE LEXAN 241
- High-impact resistance limits access to live parts due to breakage
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- Captive screw feature holds mounting screw in place for quick and easy installation





- Environmental: Flammability UL94, V2 Rating
- Various kinds of colors available
- Two year warranty

Testing & code compliance

- UL Listed
- ISO9001 Registered manufacturing facility



Duplex Receptacle Plastic Wallplates

DESCRIPTION	COLOR	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang Duplex 	Ivory	8821-I	8821M-I	8821O-I
	White	8821-W	8821M-W	8821O-W
	Almond	8821-A	8821M-A	8821O-A
	Light Almond	8821-LA	8821M-LA	
	Brown	8821-BR	8821M-BR	
	Black	8821-BK		
	Orange	8821-O		
	Red	8821-R		
	2 Gang Duplex 	Ivory	8822-I	8822M-I
White		8822-W	8822M-W	
Almond		8822-A	8822M-A	
Light Almond		8822-LA	8822M-LA	
Brown		8822-BR	8822M-BR	
3 Gang Duplex 	Ivory	8823-I		
	White	8823-W	8823M-W	
	Almond	8823-A		
	Light Almond	8823-LA		
	Brown	8823-BR	8823M-BR	
4 Gang Duplex 	Ivory	8824-I		
	White	8824-W	8824M-W	
	Almond	8824-A		
	Light Almond	8824-LA		
	Brown	8824-BR		



Plastic Wallplates

Features:







- Made of GE LEXAN 241
- High-impact resistance limits access to live parts due to breakage
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- Captive screw feature holds mounting screw in place for quick and easy installation

- Environmental: Flammability UL94, V2 Rating
- Various kinds of colors available
- Two year warranty

Testing & code compliance

- UL Listed
- ISO9001 Registered manufacturing facility

Decorator/GFCI Plastic Wallplates

DESCRIPTION	COLOR	STANDARD SIZE	MID-SIZE	OVER-SIZE
 1 Gang Decorator/GFCI	Ivory	8831-I	8831M-I	8831O-I
	White	8831-W	8831M-W	8831O-W
	Almond	8831-A	8831M-A	8831O-A
	Light Almond	8831-LA	8831M-LA	
	Brown	8831-BR	8831M-BR	8831O-BR
	Black	8831-BK	8831M-BK	
	Orange	8831-O		
	Red	8831-R		
 2 Gang Decorator/GFCI	Ivory	8832-I	8832M-I	
	White	8832-W	8832M-W	
	Almond	8832-A	8832M-A	
	Light Almond	8832-LA	8832M-LA	
	Brown	8832-BR	8832M-BR	
	Black	8832-BK	8832M-BK	
 3 Gang Decorator/GFCI	Ivory	8833-I	8833M-I	
	White	8833-W	8833M-W	
	Almond	8833-A		
 4 Gang Decorator/GFCI	Ivory	8834-I	8834M-I	
	White	8834-W	8834M-W	
	Almond	8834-A		
 5 Gang Decorator/GFCI	Ivory	8835-I	8835M-I	
	White	8835-W	8835M-W	
	Almond	8835-A		
 6 Gang Decorator/GFCI	Ivory	8836-I	8836M-I	
	White	8836-W	8836M-W	
	Almond	8836-A		





Plastic Wallplates

Features:

- Made of GE LEXAN 241
- High-impact resistance limits access to live parts due to breakage
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- Captive screw feature holds mounting screw in place for quick and easy installation

- Environmental: Flammability UL94, V2 Rating
- Various kinds of colors available
- Two year warranty

Testing & code compliance

- UL Listed
- ISO9001 Registered manufacturing facility



Single Receptacle, 15 and 20 AMP Straight Blade and 15AMP Locking

DESCRIPTION	COLOR	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang Single Receptacle with 1.406" dia. Hole	Ivory	8851-I		
	White	8851-W		
	Almond	8851-A		
	Light Almond	8851-LA		
	Brown	8851-BR		



2 Gang Single Receptacle with 1.406" dia. Holes	Ivory	8852-I		
	White	8852-W		
	Almond	8852-A		



Telephone or Cable Outlet Wallplates

DESCRIPTION	COLOR	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang Phone/Cable, 0.625" dia. Hole	Ivory	8861-I		
	White	8861-W		
	Almond	8861-A		
	Brown	8861-BR		





Plastic Wallplates

Features:

- Made of GE LEXAN 241
- High-impact resistance limits access to live parts due to breakage
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- Captive screw feature holds mounting screw in place for quick and easy installation

- Environmental: Flammability UL94, V2 Rating
- Various kinds of colors available
- Two year warranty

Testing & code compliance

- UL Listed
- ISO9001 Registered manufacturing facility

Combination Two Gang

DESCRIPTION	COLOR	STANDARD SIZE	MID-SIZE	OVER-SIZE
2 Gang-Blank and Toggle	Ivory	880111-I		
	White	880111-W		
	Almond	880111-A		
2 Gang-Blank and Duplex Receptacle	Ivory	880121-I		
	White	880121-W		
	Almond	880121-A		
2 Gang-Blank and Decorator/GFCI	Ivory	880131-I		
	White	880131-W		
	Almond	880131-A		
2 Gang-Toggle and Duplex Receptacle	Ivory	881121-I	881121M-I	
	White	881121-W	881121M-W	
	Almond	881121-A		
	Brown	881121-BR		
2 Gang-Toggle and Decorator/GFCI	Ivory	881131-I	881131M-I	
	White	881131-W	881131M-W	
	Almond	881131-A		
	Light Almond	881131-LA		
2 Gang-Duplex Receptacle and Decorator/GFCI	Ivory	882131-I	882131M-I	
	White	882131-W	882131M-W	
	Almond	882131-A		
2 Gang-Duplex Receptacle and Single Receptacle 1.406"dia. Hole	Ivory	882151-I		
	White	882151-W		
	Almond	882151-A		
	Brown	882151-BR		



Combination Three Gang

DESCRIPTION	COLOR	STANDARD SIZE	MID-SIZE	OVER-SIZE
3 Gang-2 Toggles and Duplex Receptacle	Ivory	881221-I		
	White	881221-W		
	Almond	881221-A		
	Brown	881221-BR		
3 Gang-2 Toggles and Decorator/GFCI	Ivory	881231-I		
	White	881231-W		
	Almond	881231-A		
	Black	881231-BK		



Stainless Steel Wallplates

Features:





- Made of 430 Stainless Steel
- Provides extended life in abusive and corrosive environments
- Contemporary smooth finish and contoured edges enhance installation appearance
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- Two year warranty

Testing & code compliance

- UL Listed
- ISO9001 Registered manufacturing facility







Blank Stainless Steel Wallplates

DESCRIPTION	MATERIAL	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang Blank 	Stainless	7701	7701IM	7701O
2 Gang Blank 	Stainless	7702		
3 Gang Blank 	Stainless	7703		
4 Gang Blank 	Stainless	7704		



Toggle Switch Stainless Steel Wallplates

DESCRIPTION	MATERIAL	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang Toggle 	Stainless	7711	7711IM	7711O
2 Gang Toggle 	Stainless	7712	7712IM	7712O
3 Gang Toggle 	Stainless	7713		7713O
4 Gang Toggle 	Stainless	7714		



Metal Wallplates





Features:

- Made of 430 Stainless Steel
- Provides extended life in abusive and corrosive environments
- Contemporary smooth finish and contoured edges enhance installation appearance
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- Two year warranty

Testing & code compliance





- UL Listed
- ISO9001 Registered manufacturing facility

Duplex Receptacle Stainless Steel Wallplates

DESCRIPTION	MATERIAL	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang Duplex 	Stainless	7721	7721IM	7721O
2 Gang Duplex 	Stainless	7722		
3 Gang Duplex 	Stainless	7723		
4 Gang Duplex 	Stainless	7724		



Decorator/GFCI Stainless Steel Wallplates

DESCRIPTION	MATERIAL	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang Decorator/GFCI 	Stainless	7731	7731IM	7731O
2 Gang Decorator/GFCI 	Stainless	7732		
3 Gang Decorator/GFCI 	Stainless	7733		
4 Gang Decorator/GFCI 	Stainless	7734		



Metal Wallplates

Features:

- Made of 430 Stainless Steel
- Provides extended life in abusive and corrosive environments
- Contemporary smooth finish and contoured edges enhance installation appearance
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- Two year warranty

Testing & code compliance

- UL Listed
- ISO9001 Registered manufacturing facility



Telephone or Cable Outlet Wallplates

DESCRIPTION	MATERIAL	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang Phone/Cable 0.406" dia. Hole	Stainless	7741		
2 Gang Phone/Cable 0.406" dia. Holes	Stainless	7742		
1 Gang Phone/Cable 0.625" dia. Hole	Stainless	7761		7761O
2 Gang Phone/Cable 0.625" dia. Holes	Stainless	7762		
1 Gang Phone/Cable 0.374" & 0.177" dia. Hole	Stainless	7781		
1Gang Phone/Cable 0.4375" dia. Hole	Stainless	7841		
1 Gang TL Single Receptacle 1.620" dia. Hole	Stainless	7861		
1 Gang Phone 1.405" dia. Hole	Stainless	7941		



Metal Wallplates



Features:

- Made of 430 Stainless Steel
- Provides extended life in abusive and corrosive environments
- Contemporary smooth finish and contoured edges enhance installation appearance
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- Two year warranty

Testing & code compliance


- UL Listed
- ISO9001 Registered manufacturing facility

Single Receptacle, 15 and 20 AMP Straight Blade and 15AMP Locking





DESCRIPTION	MATERIAL	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang Single Receptacle with 1.406" dia. Hole 	Stainless	7751	7751M	7751O
2 Gang Single Receptacle with 1.406" dia. Holes 	Stainless	7752		



Power Outlet Receptacle-One Gang

DESCRIPTION	MATERIAL	STANDARD SIZE	MID-SIZE	OVER-SIZE
1 Gang Power Outlet 2.125" dia. Hole 	Stainless	7771		

Power Outlet Receptacle-Two Gang

DESCRIPTION	MATERIAL	STANDARD SIZE	MID-SIZE	OVER-SIZE
2 Gang Power Outlet 2.125" dia. Holes 	Stainless	7772		
2 Gang Power Outlet 2.125" dia. Holes Midway 	Stainless	7792		
2 Gang Power Outlet 2.275" dia. Holes Offset 	Stainless	7892		
2 Gang Power Outlet 2.456" dia. Holes 	Stainless	7992		





Metal Wallplates

Features:

- Made of 430 Stainless Steel
- Provides extended life in abusive and corrosive environments
- Contemporary smooth finish and contoured edges enhance installation appearance
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- Two year warranty

Testing & code compliance

- UL Listed
- ISO9001 Registered manufacturing facility



Combination Two Gang

DESCRIPTION	MATERIAL	STANDARD SIZE	MID-SIZE	OVER-SIZE
2 Gang-Blank and Toggle	Stainless	770111		
2 Gang-Blank and Duplex Receptacle	Stainless	770121		
2 Gang-Blank and Decorator/GFCI	Stainless	770131		
2 Gang-Toggle and Duplex Receptacle	Stainless	771121	771121IM	771121O
2 Gang-Toggle and Decorator/GFCI	Stainless	771131		
2 Gang-Duplex Receptacle and Decorator/GFCI	Stainless	772131		
2 Gang-Duplex Receptacle and Single Receptacle 1.406" dia. Hole	Stainless	772151		

Combination Three Gang

DESCRIPTION	MATERIAL	STANDARD SIZE	MID-SIZE	OVER-SIZE
3 Gang-2 Gang Toggle and Decorator/GFCI	Stainless	771231		
3 Gang-2 Gang Toggle and Duplex Receptacle	Stainless			771221O